

Notice of Allowability	Application No.	Applicant(s)
	10/621,477	HOLLOWAY, WYNN PETER
	Examiner Chi Q. Nguyen	Art Unit 3635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to amendment filed on 7/21/2005 and examiner's amendment.
2. The allowed claim(s) is/are 1-10,13-16,23 and 24.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Paul Milliken on 4/14/2006.

The application had been changed as following:

- (1) In claim 1, in line 3, after "water resistant board" please insert --with a space between the board faces being filled with thermal insulation--.
- (2) In claim 1, last line, after "attachment thereto" please delete "with the space between the boards being filled with thermal insulation" and insert--the outwardly facing recessed sides of said two I beams being provided with locking means therein longitudinally spaced along said two I beams for locking a post to said building panel--.
- (3) In claim 9, lines 2-3, please delete "recessed sides of said two I beams are provided with shouldered dowels longitudinally spaced along said I beams and secured thereto" and insert--locking means comprise shouldered dowels secured to said I beam--.
- (4) In claim 10, lines 1-2, please delete "An internal wall or partition for a building comprises adjacent wall building panels in accordance with Claim 1 and" and insert -- The building as claimed in claim 1 assembled adjacent to similar panels,--
- (5) Please cancel claims 18-22 and 25.

(6) In claim 23, line 7, after "between the" please delete "boards" and insert--
board faces--.

(7) In claim 23, last line, after "the I beams" please insert--, and the outwardly
facing recessed sides of said two I beams being provided with locking means therein
longitudinally spaced along said I beams for locking the posts to the panels--.

Any inquiry concerning this communication or earlier communication from the
examiner should be directed to Chi Q. Nguyen whose telephone number is (571) 272-
6847, Mon-Thu (7:00-5:30), Fridays off or examiner's supervisor, Carl Friedman can be
reached at (571) 272-6842. The examiner's right fax number is (571) 273-6847.

Information regarding the status of an application may be obtained from the
Patent Application Information Retrieval (PAIR) system. Status information for published
applications may be obtained from either Private PAIR or Public PAIR. Status
information for unpublished applications is available through Private PAIR only. For
more information about the PAIR system, see <http://pairdirect.uspto.gov>. Should you
have questions on access to the Private PAIR system, contact the Electronic Business
Center (EBC) at (866) 217-9197.

4/14/2006
CQN


Nada Slack
Primary